Author Index

Adler, D.D., Blane, C.E., Holt, J.F.: Case Report 220.		Ekelund, L.: see Herrlin, K. et al	92
Diagnosis: Osseous Sarcoidosis of Left 5th Digit in		El-Khoury, G.Y.: see Bonfiglio, M. et al	208
	205	Evans, J.W., Jr.: see Ramirez, H., Jr. et al.	223
Ambinder, E.P.: see Rose, J.S. et al	234	Feldman, F.: see Singson, R.	
Amenta, P.S., Stead, J., Kricun, M.E.: Case Report 226.Diagnosis: Isolated Cryptococcus neoformans Osteo-		Fincham, W.J.: see Kemp, H.B.S. et al Finklestein, J.: see Lachman, R.S. et al	249
myelitis of Femur	263	Garver, P., Resnick, D., Haghighi, P., Guerra, J.: Melor-	240
Anderson, D.E., Davidson, J.K., Catto, M.E.: Case Re-	200	heostosis of the Axial Skeleton with Associated Fibro-	
port 227. Diagnosis: Primary Hyperoxaluria (Oxa-		lipomatous Lesions	41
losis)	266	Gelberman, R.H.: see Resnik, C.S. et al	192
Bacchini, P.: see Bertoni, F. et al	215	Gherlinzoni, F.: see Picci, P. et al	255
Barwick, K.W.: see Lawson, J.P.	53	Goldberg, R.P., Vicks, B.: Oblique Angled View for Cora-	
Bayle, C.: see Vanel, D. et al	83	coid Fractures	
Bedford, A.F.: see Kemp, H.B.S. et al		Goldman, A.: see Moss, G.D. et al	
Bernardino, M.E.: see Zornoza, J. et al	33	Greenfield, D.J.: see Kaufman, R.A. et al.	218
Bertoni, F., Capanna, R., Calderoni, P., Bacchini, P.:		Greenspan, A., Norman, A.: The "Pelvic Digit" - An	440
Case Report 223. Diagnosis: Benign Fibrous Histiocy-	215	Unusual Developmental Anomaly	
Piercand A. L. Pone Involvement Pattern in Humanuscon	215	Greenspan, A.: see Sherman, S.B. et al	
Bjersand, A.J.: Bone Involvement Pattern in Hypervascu-	103	Griffiths, H.J., Robinson, K., Bonfiglio, T.A.: Aggressive Fibromatosis	179
lar Lesions	205	Guerra, A.: see Picci, P. et al.	
Bonfiglio, M., Mickelson, M.R., El-Khoury, G.Y.: Case	203	Guerra, J.: see Garver, P. et al.	41
Report 221. Diagnosis: Osteomyelitis of the Left Fe-		Hagay, C.: see Vanel, D. et al.	
mur Due to Brucella suis	208	Haghighi, P.: see Garver, P. et al	
Bonfiglio, T.A.: see Griffiths, H.J. et al.		Haghighi, P.: see Resnik, C.S. et al	145
Brassow, F.: see Crone-Münzebrock, W		Haney, P.J.: see Wagner, E.J.	283
Brogdon, B.G.: see Dunaway, C.L. et al	212	Harrison, R.B.: see Burkhalter, J.L. et al	246
Broun, G.O.: see Sundaram, M. et al	132	Hartmann, O.: see Vanel, D. et al	
Brown, J.D.: see Ramirez, H., Jr. et al	223	Heiberg, E.: see Sundaram, M. et al	
Burkhalter, J.L., Patel, B.R., Harrison, R.B.: Radionuc-		Hermann, G.: see Rose, J.S. et al	
lide Bone Scan as an Aid in Localizing Lesions for	216	Herrlin, K., Ekelund, L., Lövdahl, R., Persson, B.: Com-	
Bone Biopsy	246 69	puted Tomography in Suspected Osteoid Osteomas of	
Buss, D.: see Martin, W., III et al. Calderoni, P.: see Bertoni, F. et al.	215	Tubular Bones	14
Campbell, J.B.: Case Report 217. Diagnosis: Hyperosto-	213	Heyse-Moore, G.H., Stoker, D.J.: Avulsion Fractures of	
sis of the Calvaria in Osteogenesis Imperfecta	141	the Scapula	27
Capanna, R.: see Bertoni, F. et al.		the Scapula	205
Catto, M.E.: see Anderson, D.E. et al		Hotokebuchi, T.: see Kaibara, N. et al	47
Cohen, M.A.: see Edeiken, B.S. et al.		Jones, H.H.: see Oppenheimer, D.A	
Cohen, M.A.: see Zornoza, J. et al	33	Kaibara, N., Katsuki, I., Hotokebuchi, T., Takagishi, K.:	
Contesso, G.: see Vanel, D. et al	8	Intermediate Form of Osteopetrosis with Recessive In-	
Couanet, D.: see Vanel, D. et al	8	heritance	47
Crone-Münzebrock, W., Brassow, F.: A Comparison of		Karasick, D.: see Karasick, S. et al	, 239
Radiographic and Bone Scan Findings in Histiocyto-	170	Karasick, D.: see Rao, V.M	120
Sis X		ryoblastic Leukemia (Acute "Malignant" Myelofibro-	
Cruickshank, B.: see Willinsky, R.A. et al		sis): An Unusual Cause of Osteosclerosis	45
Dalinka, M.K.: see Osterman, A.L. et al	56	Karasick, S., Karasick, D., Wechsler, R.J.: Unilateral	
Damuth, H.D., Jr., Staple, T.W.: Case Report 212. Dia-	50	Spondylolysis of the Cervical Spine	
gnosis: Metastatic Medulloblastoma to the Vertebral		Katsuki, I.: see Kaibara, N. et al	
Bodies of L2 and L3	64	Kaufman, R.A., Wakely, P.E., Greenfield, D.J.: Case Re-	
Davidson, J.K.: see Anderson, D.E. et al	266	port 224. Diagnosis: Giant Cell Tumor of Ossification	
Doppman, J.L.: see Nussbaum, A.J	98	Center of the Distal End of the Fibula, Growing into	
Dorfman, H.D.: see McCarthy, E.F.	88	the Metaphysis	218
Dunaway, C.L., Williams, J.P., Brogdon, B.G.: Case Re-		Kemp, H.B.S., Bedford, A.F., Fincham, W.J.: Petrielli-	
port 222. Diagnosis: Sacral and Coccygeal Supernu-	212	dium boydii Infection of the Knee: A Case Report	114
merary Ribs (Pelvic Ribs)		Klein, A.: see Martin, W., III et al. Knickerbocker, W.J., Quenville, N.r.: Widespread Mar-	07
Edeiken, B: see deSantos, L.A	1	row Necrosis during Pregnancy	37
mal Humeral Epiphysis: A Complication of Radiothe-		Kokko, ML.: see Moilanen, A. et al.	
rapy to the Shoulder in Children		Kricun, M.E.: see Amenta, P.S. et al.	
Ekelund, L., Herrlin, K., Rydholm, A.: Computed Tomo-		Lachman, R.S., Finklestein, J., Mehringer, C.M., Maenza,	,
graphy of Intramuscular Myxoma	14	R.: Congenital Aggressive Lipomatosis	248
Ekelund, L., Rydholm, A.: The Value of Angiography		Lawson, J.P., Barwick, K.W.: Case Report 209. Diagno-	
in Soft Tissue Leiomyosarcomas of the Extremities	201	sis: Chondromyxoid Fibroma of Left First Rib	53

Levine, C.: see Levine, E	227	Case Report 218. Diagnosis: Paget Disease of the Ti-	
Levine, E., Levine, C.: Ewing Tumor of Rib: Radiologic			145
Findings and Computed Tomography Contribution	227		179
Levine, E., Neff, J.R.: Dynamic Computed Tomography		Rose, J.S., Hermann, G., Mendelson, D.S., Ambinder,	
Scanning of Benign Bone Lesions: Preliminary	220	E.P.: Extraskeletal Ewing Sarcoma with Computed	224
Results		Tomography Correlation	234
Libshitz, H.I.: see Edeiken, B.S. et al Lövdahl, R.: see Herrlin, K. et al	123 92	Rosenthal, D.I., Scott, J.A.: Biomechanics Important to Interpret Radiographs of the Hip	185
Maenza, R.: see Lachman, R.S. et al.	248		137
Martin, W., III, Klein, A., Buss, D.: Case Report 213.	240	Rydholm, A.: see Ekelund, L. et al.	14
Diagnosis: Erdheim-Chester Disease	69		201
Masselot, J.: see Vanel, D. et al 8		deSantos, L.A., Edeiken, B.: Purely Lytic Osteosarcoma	1
McCarthy, E.F., Dorfman, H.D.: Idiopathic Segmental		Sarrazin, D.: see Vanel, D. et al	8
Sclerosis of Vertebral Bodies	88	Schilling, J.: see Karasick, S. et al	45
McCarthy, S.M., Ogden, J.A.: Radiology of Postnatal		Schneider, H.: see Weinberg, S	61
Skeletal Development. VI. Elbow Joint, Proximal Ra-		Scott, J.A.: see Rosenthal, D.I	185
dius, and Ulna	17	Sheinkop, M.: see Moss, G.D. et al	148
McDevitt, W.P.: see Wepfer, J.F. et al.	198	Sherman, S.B., Greenspan, A., Norman, A.: Osteonecro-	
Mehringer, C.M.: see Lachman, R.S. et al	248	sis of the Distal Pole of the Carpal Scaphoid Following	400
Mendelson, D.S.: see Rose, J.S. et al.	234	Fracture – A Rare Complication	189
Mickelson, M.R.: see Bonfiglio, M. et al	208	Singson, R., Feldman, F.: Case Report 229. Diagnosis:	276
Moilanen, A., Kokko, ML., Pitkänen, M.: Gonadal Dose Reduction in Lumbar Spine Radiography	153	Multiple (Multicentric) Giant Cell Tumors of Bone Staple, T.W.: see Damuth, H.D., Jr.	64
Moss, G.D., Goldman, A., Sheinkop, M.: Case Report	100	Stead, J.: see Amenta, P.S. et al.	263
219. Diagnosis: Bilateral Stress Fractures (and/or		Stoker, D.J.: see Heyse-Moore, G.H.	27
Reaction) of the Distal Ends of the Radii	148	Subbarao, K.: Case Report 228. Diagnosis: Congenital	
Neff, J.R.: see Levine, E	238	Venous Dysplasia of the Index Finger Involving Soft	
Norman, A.: see Greenspan, A	118	Tissues and Bone	273
Norman, A.: see Sherman, S.B. et al	189	Sundaram, M., Heiberg, E., Broun, G.O., Wolverson,	
Nussbaum, A.J., Doppman, J.L.: Shoulder Arthropathy		M.K.: Case Report 215. Diagnosis: Waldenström	
in Primary Hyperparathyroidism	98	Macroglobulinemia	132
Oberlin, O.: see Vanel, D. et al	174	Takagishi, K.: see Kaibara, N. et al	47
Ogden, D.A.: see Ogden, J.A.	73	Tamman, S.: see Vanel, D. et al.	83
Ogden, J.A., Ogden, D.A.: Skeletal Metastasis: The Effect	72	Thomas, J.L.: see Zornoza, J. et al.	33
on the Immature Skeleton	73	Thompson, J.J.: see Osterman, A.L. et al	56
Ogden, J.A., Phillips, S.B.: Radiology of Postnatal Skele- tal Development. VII. The Scapula	157	Unni, K.K.: Case Report 214. Diagnosis: Osteosarcoma (High Grade) of the Upper End of the Tibia	129
Ogden, J.A.: see McCarthy, S.M	17	Vanel, D., Bayle, C., Hartmann, O., Rebibo, G., Tamman,	127
Oppenheimer, D.A., Jones, H.H.: Hypertrophic Osteo-		S.: Radiological Study of Two Disseminated Mali-	
arthropathy of Chronic Inflammatory Bowel Disease	109	gnant Non-Hodgkin Lymphomas Affecting only the	
Ordonez, N.G.: see Zornoza, J. et al	33	Bones in Children	83
Osterman, A.L., Dalinka, M.K., Thompson, J.J.: Case		Vanel, D., Contesso, G., Couanet, D., Piekarski, J.D.,	
Report 210. Diagnosis: Recurrent Giant Cell Tumor		Sarrazin, D., Masselot, J.: Computed Tomography in	
(Initially in Distal End of Radius) Involving Adjacent		the Evaluation of 41 Cases of Ewing's Sarcoma	8
Carpal Bones (Triquetrum and Pisiform Bones)		Vanel, D., Hagay, C., Rebibo, G., Oberlin, O., Masselot,	
Patel, B.R.: see Burkhalter, J.L. et al.		J.: Study of Three Radio-Induced Malignant Fibrohi-	
Persson, B.: see Herrlin, K. et al.	92	stiocytomas of Bone	
Phillips, S.B.: see Ogden, J.A	157	Vicks, B.: see Goldberg, R.P	195
Picci, P., Gherlinzoni, F., Guerra, A.: Intracortical Osteo- sarcoma: Rare Entity or Early Manifestation of Clas-		Wagner, E.J., Haney, P.J.: Case Report 230. Diagnosis: Camptomelic Syndrome	202
sical Osteosarcoma?		Wakely, P.E.: see Kaufman, R.A. et al.	
Piekarski, J.D.: see Vanel, D. et al.		Walter, R.D.: see Resnik, C.S. et al	145
Pitkänen, M.: see Moilanen, A. et al.		Wechsler, R.J.: see Karasick, S. et al.	259
Quenville, N.F.: see Knickerbocker, W.J.		Weinberg, S., Schneider, H.: Case Report 211. Diagnosis:	
Ramirez, H., Jr., Brown, J.D., Evans, J.W., Jr.: Case Re-		Intraosseous Ganglion of the Ilium	
port 225. Diagnosis: Myonecrosis of Left Leg (Stimu-		Wepfer, J.F., Reed, J.G., Cullen, G.M., McDevitt, W.P.:	
lating Gas) Due to Gram-Negative Organisms		Calcific Tendinitis of the Gluteus Maximus Tendon	
Rao, V.M., Karasick, D.: Hypercementosis - An Impor-		(Gluteus Maximus Tendinitis)	
tant Clue to Paget Disease of the Maxilla		Williams, J.P.: see Dunaway, C.L. et al	212
Rebibo, G.: see Vanel, D. et al		Willinsky, R.A., Rubenstein, J.D., Cruickshank, B.: Case	
Reed, J.G.: see Wepfer, J.F. et al.		Report 216. Diagnosis: Intracortical Hemangioma of	
Resnick, D.: see Garver, P. et al. Resnick, D.: see Resnick, C.S. et al. 145		Tibia	
Resnik, C.S., Gelberman, R.H., Resnick, D.: Transsca		Wolverson, M.K.: see Sundaram, M. et al Zornoza, J., Bernardino, M.E., Ordonez, N.G., Thomas,	
phoid, Transcapitate, Perilunate Fracture Dislocation		J.L., Cohen, M.A.: Percutaneous Needle Biopsy of	
(Scaphocapitate Syndrome)		Soft Tissue Tumors Guided by Ultrasound and Com-	
Resnik, C.S., Walter, R.D., Haghighi, P., Resnick, D.		nuted Tomography	33

Subject Index

Aggrestive lipomatosis, congential Aggrestive lipomatosis congential Aggrestive lipomatosis of the extremities, the value of Avulsion fractures of the scapula Avulsion fracture	1	Acute megakaryoblastic leukemia (acute "malignant" myelofibrosis): An unusual cause of osteosclerosis Aggressive fibromatosis	45 179	Coracoid fractures, oblique angled view for	273 195
Arthropathy, shoulder, in primary hyperparathyroidism yalusion fractures of the scapula 27 Axial skeleton, melorheostosis of the, with associated fibrolipomatous lesions (and the property scanning of Preliminary results 238 Benign fibrous histiocytoma (case report) 215 Biomechanics finatures (and for reaction) of the distal ends of the radii (case report) 215 Biomy, bene, radionuclide bone scan as an aid in localizing lesions for 246 Biopsy, bene involvement pattern in hyperrascular lesions 246 Bone involvement pattern in hyperrascular lesions 246 Broight in the property of 247 Bracial and computed tomography 248 Carpel bones, recurrent giant cell tumor involving (case report) 248 Carpel bones, recurrent giant cell tumor involving (case report) 248 Carpel bones, recurrent giant cell tumor involving (case report) 249 Calcific tendinitis of the gluteus maximus tendinitis) 250 Carpel scaphold, osteonecrosis of the distal pole of the following fracture – a rare complication 249 Carpel bones, recurrent giant cell tumor involving (case report) 250 Carpel scaphold, osteonecrosis of the distal pole of the obones in complication of radiotherapy to the shoulder in complicat	1		248		263
Avalias keleton, melorheostosis of the, with associated fibrofipomatous lesions Benign fibrous histicocytoma (case report) 218 Bilateral stress fractures (and/or reaction) of the distal ends of the radii (case report) 218 Biloral stress fractures (and/or reaction) of the distal ends of the radii (case report) 218 Biloral stress fractures (and/or reaction) of the distal ends of the radii (case report) 218 Biloral stress fractures (and/or reaction) of the distal ends of the radii (case report) 218 Biloral stress fractures (and/or reaction) of the distal ends of the radii (case report) 218 Biloral stress fractures (and/or reaction) of the distal pole of the pluteus maximus tendinitis) 218 Bilopsy, bone, radionuclide bone scan as an aid in localizing lesions for 229 Biopsy, percutaneous needle, of soft itsue tumors guided by ultrasound and computed tomography 3 230 Bone involvement pattern in hypervascular lesions 230 Bone involvement pattern in hypervascular lesions 231 Bone involvement pattern in hypervascular lesions 232 Bone involvement pattern in hypervascular lesions 233 Bone involvement pattern in hypervascular lesions 234 Brucella suis, osteomyelitis of the left femur due to (case report) 235 Carpel bones, recurrent giant cell tumor involving (case report) 236 Carpel bones, recurrent giant cell tumor involving (case report) 237 Carpel bones, recurrent giant cell tumor involving (case report) 238 Carpel bones, recurrent giant cell tumor involving (case report) 239 Carpel bones, recurrent giant cell tumor involving (case report) 240 Eliow joint, proximal radius, and ulna 241 Elioscation, transcaphoid, transcapliate, perilumate freature a rare complication of radiotherapy to the shoulder in children, a complication of radiotherapy to the shoulder in children and comparaby of the distal pole of the following fracture— a rare complication of radiotherapy to the shoulder in complication of radiotherapy to the shoulder in complication of radiotherapy to the shoulder in complication of radiotherapy to the shoulder		ties, the value of		Developmental anomaly, an unusual - the "pelvic digit"	118
Axial skeleton, melorheostosis of the, with associated fibrolipomatous lesions (a) and the properties of the properties of the state of the radii (case report) (assenting of Preliminary results (assentinated maligant non-Hodgkin lymphomas affecting only the sone sing of the state of the radii (case report) (assentinated maligant non-Hodgkin lymphomas affecting only the sone singulated by ultrasound and computed tomography (assentinated maligant non-Hodgkin lymphomas affecting only the sone singulated by ultrasound and computed tomography (assentinated maligant non-Hodgkin lymphomas affecting only the sone singulated by ultrasound and computed tomography (assentinated maligant non-Hodgkin lymphomas affecting only the sone singulated by ultrasound and computed tomography (assentinated maligant non-Hodgkin lymphomas affecting only the sone singulated by ultrasound and computed tomography (assentinated maligant non-Hodgkin lymphomas affecting only the sone singulated (assentinated maligant non-Hodgkin lymphomas affecting only the sone singulated (assentinated maligant non-Hodgkin lymphomas affecting only the sone singulation of the distal pole of the following fracture – a rare complication of radiotherapy to the shoulder in complication of radiotherapy to the s					
Benign bone lesions. Aynamic computed tomography scanning of: Preliminary results 238 Benign fibrous histocytoma (case report) 215 Bilateral stress fractures (and/or reaction) of the distal ends of the radii (case report) 148 Biomechanics important to interpret radiographs of the hip Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for 246 Biospsy, percutaneous needle, of soft tissue tumors guided by ultrasound and computed tomography 235 Bone involvement pattern in hypervascular lesions 103 Bone involvement pattern in hypervascular lesions 103 Bone involvement pattern in hypervascular lesions 103 Bone involvement pattern in hypervascular lesions 104 Brucella suis, osteomyelitis of the left femur due to (case report) 208 Calcific tendinitis of the gluteus maximus tendon (gluteus maximus tendinitis) 105 Calvaria, hyperostosis of the, in osteogenesis imperfecta (case report) 208 Carpel sones, recurrent giant cell tumor involving (case report) 208 Carpel sones, recurrent giant cell tumor involving (case report) 209 Children, a complication of radiotherapy to the shoulder in: Slipped proximal humeral epiphysis 200 Children, a complication of radiotherapy to the shoulder in: Slipped proximal humeral epiphysis 200 Children, a complication of radiotherapy to the shoulder in: Slipped proximal humeral epiphysis 200 Carpel sones, recurrent giant ell tumor involving (case report) 209 Carpel sones, recurrent giant ell tumor involving (case report) 200 Children, a complication of radiotherapy to the shoulder in: Slipped proximal humeral epiphysis 200 Carpel sones, recurrent giant ell tumor involving (case report) 200 Children, a complication of radiotherapy to the shoulder in: Slipped proximal humeral epiphysis (case report) 200 Children, a complication of radiotherapy to the shoulder in slipped proximal humeral epiphysis (case report) 200 Carpel sones, recurrent giant legit 200 Carpel sones (report) 200 Carpel sones, recurrent giant legit 200 Carpel sones (report) 200 Carpel sones (report) 200 Carpel so			27		17
Benign bone lesions, dynamic computed tomography scanning of Preliminary results 238 Benign fibrous histicocytoma (case report) 215 Bilateral stress fractures (and/or reaction) of the distal end sof the radii (case report) 148 Biopsey, bone, radionuclide bone scan as an aid in localizing lesions for 246 Biopsey, bone, radionuclide bone scan as an aid in localizing lesions for 246 Biopsey, bone, radionuclide bone scan as an aid in localizing lesions for 246 Biopsey, percutaneous needle, of soft issue tumors guided by ultrasound and computed tomography 33 Bone involvement pattern in hypervascular lesions 103 Bone involvement pattern in hypervascular lesions 104 Brucella suis, osteomyelitis of the left femur due to (case report) 208 Calcalific tendinitis of the gluteus maximus tendon (gluteus maximus tendinitis) 198 Calvaria, hyperostosis of the, in osteogenesis imperfecta (case report) 208 Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication 104 Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication 104 Singsin, unilateral spondylolysis of the 259 Child with systemic sarcoidosis, osseous sarcoidosis of left 36 Sidopsin development 104 Sidopsin development 108 Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication 07 Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication 07 Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication 07 Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication 07 Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication 07 Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication 07 Carpel	4		41		157
scanning of: Preliminary results 238 Benign fibrous histocytoma (case report) 215 Bilateral stress fractures (and/or reaction) of the distal ends of the radii (case report) 148 Biomechanics important to interpret radiographs of the hip 185 Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for 246 Biopsy, percutaneous needle, of soft tissue tumors guided by ultrasound and computed tomography 248 Bone involvement pattern in hypervascular lesions 103 Bowel disease, chronic inflammatory, hypertrophic osteoarthropathy of 268 Brucella suis, osteomyelitis of the left femur due to (case report) 278 Calcific tendinitis of the gluteus maximus tendon (gluteus maximus tendinitis) 278 Calvalaria, hyperostosis of the, in osteogenesis imperfecta (case report) 278 Carpel sones, recurrent giant cell tumor involving (case report) 279 Children, a complication of radiotherapy to the shoulder in children. 287 Children, a complication of radiotherapy to the shoulder in children. 287 Chondromyxoid fibroma of left first rib (case report) 287 Chondromyxoid fibroma of left first rib (case report) 288 Chondromyxoid fibroma of left first rib (case report) 289 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 289 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 289 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 289 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 289 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 289 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 289 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 289 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 289 Computed tomography of mortal muneral spinysis of the 299 Sarround and computed tomog			71	"Digit nelvic" - an unusual developmental anomaly	
Benign fibrous histicoytoma (case report)			238	Dislocation transscanhoid transcapitate perilupate frac-	110
Bilateral stress fractures (and/or reaction) of the distal ends of the radii (case report) Biomechanics important to interpret radiographs of the hip Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for Biopsy, derivatione in hippryses lesions of the link pyrophysis of the case of the second though in hypervoscular lesions and aid localization of the soft lesions physis, slipped proximal humeral: A complication of radiotherapy to the shoulder in children 123 composition of the gluteus maximus tendon (guare report) (198 care report) (298 care report) (192
Dynamic computed tomography scanning of benign bone lesions: Preliminary results 238		Bilateral stress fractures (and/or reaction) of the distal		Disseminated malignant non- Hodgkin lymphomas affect-	
Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for a biopsy, percutaneous needle, of soft issue tumors guided by ultrasound and computed tomography 33 Bone involvement pattern in hypervascular lesions 50 Bowel disease, chronic inflammatory, hypertrophic osteoarthropathy of 50 Brucella suis, osteomyelitis of the left femur due to (case report) 50 Caledific tendinitis of the gluteus maximus tendon (gluteus maximus tendinitis) 50 Caledific tendinitis of the gluteus maximus tendon (gluteus maximus tendinitis) 50 Caledific tendinitis of the gluteus maximus tendon (gluteus maximus tendinitis) 50 Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication 50 feering and non-Hodgkin lymphomas affecting only the bones in 50 Chondromyxoid fibroma of left first rib (case report) 50 Children, radiological study of two disseminated malignant non-Hodgkin lymphomas affecting only the bones in 50 Chondromyxoid fibroma of left first rib (case report) 50 Chongued tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 50 Computed tomography contribution and radiologic findings. Ewing tumor of rib 10 Case report) 50 Computed tomography contribution and radiologic findings. Ewing tumor of rib social finances are possible for the distal eving sarcoma with 50 Computed tomography contribution and radiologic findings. Ewing tumor of rib social finances are possible for the distal eving sarcoma with 50 Computed tomography contribution and radiologic findings. Ewing tumor of rib social finances are possible for the distal eving sarcoma with 50 Computed tomography contribution and radiologic findings. Ewing tumor of rib social finances are possible for the distal eving sarcoma with 50 Computed tomography contribution 50 Computed tomography contribution 50 Computed tomography in suspected osteoid osteomas of tubular bones 50 Computed tomography in suspected osteoid osteomas of tubular bones 50 Computed tomography for intramuscular myxoma 51 Computed			148		83
Biopsy, bone, radionuclide bone scan as an aid in localizing lesions for 246 Biopsy, percutaneous needle, of soft tissue tumors guided by ultrasound and computed tomography 33 Bone involvement pattern in hypervascular lesions 103 Bowel disease, chronic inflammatory, hypertrophic osteoarthropathy of 109 Brucella suis, osteomyelitis of the left femur due to (case report) 208 Calcific tendinitis of the gluteus maximus tendon (gluteus maximus tendinitis) 198 Carple bones, recurrent giant cell tumor involving (case report) 298 Carple bones, recurrent giant cell tumor involving (case report) 308 Carple scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication 189 Cervical spine, unilateral spondylolysis of the 259 Children, a complication of radiotherapy to the shoulder in: Slipped proximal humeral epiphysis 205 Children, a complication of radiotherapy to the shoulder in: Slipped proximal humeral epiphysis 205 Chornometed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 207 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 207 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 207 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 207 Computed tomography ontribution and radiologic findings: Ewing tumor of rib 207 Computed tomography contribution of (case report) 207 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 207 Computed tomography ontribution and radiologic findings: Ewing tumor of rib 207 Computed tomography ontribution and radiologic findings arcoma with 207 Computed tomography ontribution and radiologic findings: Ewing tumor of rib 207 Computed tomography ontribution and radiologic findings arcoma with 207 Computed tomography ontribution and radiologic findings: Ewing tumor of rib 207 Computed tomography contribution of (case report) 207 Computed tomography on t					
ling lesions for 246 Biopsy, percutaneous needle, of soft tissue tumors guided by ultrasound and computed tomography 33 Bone involvement pattern in hypervascular lesions 103 Bone involvement pattern in hypervascular lesions 104 Bowel disease, chronic inflammatory, hypertrophic osteoarthropathy of 105 Brucella suis, osteomyelitis of the left femur due to (case report) 208 Calcific tendinitis of the gluteus maximus tendon (gluteus maximus tendinitis) 198 Calvaria, hyperostosis of the, in osteogenesis imperfecta (case report) 208 Calvaria, hyperostosis of the, in osteogenesis imperfecta (case report) 208 Carpel bones, recurrent giant cell tumor involving (case report) 208 Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture — a rare complication of 14 cases of 159 Cervical spine, unilateral spondylolysis of the 259 Child with systemic sacrodiosis, osseous ascrodiosos is offed in Silpped proximal humeral: a complication of 240 Cervical spine, unilateral spondylolysis of the 259 Child with systemic sacrodiosis, osseous ascrodiosos of 161 S th digit in a (case report) 208 Children, radiological study of two disseminated malignant non-Hodgkin lymphomas affecting only the bones in 250 Chondromyxoid fibroma of left first rib (case report) 208 Chondromyxoid fibroma of left first rib (case report) 209 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 23 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 23 Computed tomography contribution and radiologic findings: Ewing tumor of rib 200 Computed tomography donutivation and radiologic findings: Ewing tumor of rib 200 Computed tomography donutivation and radiologic findings arcoma with 200 Computed tomography on the veluation of 41 cases of Emburate Recurrent (initially in distal end of radiotherapy to the shoulder in children and the mography on the evaluation of 240 Ewing sarcoma and themeral epiphysis and converted tomography of the case of Emburate Recurrent			185		238
Biopsy, percutaneous needle, of soft iissue tumors guided by ultrasound and computed tomography 3 3 3 Bone involvement pattern in hypervascular lesions 103 Bowel disease, chronic inflammatory, hypertrophic osteoarthropathy of					0.00
by ultrasound and computed tomography 33 Bone involvement pattern in hypervascular lesions 103 Bowel disease, chronic inflammatory, hypertrophic osteoarthropathy of			246		2/3
Bome disease, chronic inflammatory, hypertrophic osteoarthropathy of					
Bowel disease, chronic inflammatory, hypertrophic osteoarthropathy of 198 Brucella suis, osteomyellitis of the left femur due to (case report) 208 Calcific tendinitis of the gluteus maximus tendon (gluteus maximus tendinitis) 198 Calvaria, hyperostosis of the, in osteogenesis imperfecta (case report) 283 Carpel bones, recurrent giant cell tumor involving (case report) 283 Carpel sones, recurrent giant cell tumor involving (case report) 284 Carpel sones, recurrent giant cell tumor involving (case report) 285 Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication 295 Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication 295 Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication 295 Child with systemic sarcoidosis, osseous sarcoidosis of left 3° digit in a (case report) 295 Child with systemic sarcoidosis, osseous sarcoidosis of left 3° digit in a (case report) 295 Children, radiological study of two disseminated malignant non-Hodgkin lymphomas affecting only the bones in 295 Chondromyxoid fibroma of left first rib (case report) 295 Chondromyxoid fibroma of left first rib (case report) 295 Chomputed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 297 Computed tomography contribution and radiologic findings and computed tomography in the evaluation of 41 cases of 295 Eving sancoma, extraskeletal, with computed tomography 297 Eving sarcoma, computed tomography in the evaluation of 41 cases of 297 Extraskeletal Ewing sarcoma, extraskeletal with computed tomography in the evaluation of 41 cases of 297 Extraskeletal Ewing sarcoma, extraskeletal and thomography 297 Eving's arcoma, computed tomography in the evaluation of 41 cases of 297 Extraskeletal Ewing sarcoma, with computed tomography in the evaluation of 41 cases of 297 Extraskeletal Ewing sarcoma with computed tomography of the 295 Extraskeletal Ewing sarcoma with compute					17
Every the content of the left femur due to (case report) 208			103		400
Brucella suis, osteomyelitis of the left femur due to (case report) 208			400		
Calcific tendinitis of the gluteus maximus tendon (gluteus maximus tendinitis). Calvaria, hyperostosis of the, in osteogenesis imperfecta (case report) Camptomelic syndrome (case report). Carpel bones, recurrent giant cell tumor involving (case report) Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication. Cervical spine, unilateral spondylolysis of the			109		09
Calcific tendinitis of the gluteus maximus tendon (gluteus maximus tendinitis) Calvaria, hyperostosis of the, in osteogenesis imperfecta (case report) Camptomelic syndrome (case report) Carpel bones, recurrent giant cell tumor involving (case report) Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication Cervical spine, unilateral spondylolysis of the Shi digit in a (case report) Children, radiological study of two disseminated malignant non-Hodgkin lymphomas affecting only the bones in Chondromyxoid fibroma of left first rib (case report) Choronic inflammatory bowel disease, hypertrophic osteoarthropathy of Coccygeal and sacral supernumerary ribs (pelvic ribs) (case report) Computed tomography contribution and radiologic findings and computed tomography in suspected osteoid osteomas of tubular bones Computed tomography in suspected osteoid osteomas of tubular bones Computed tomography in suspected osteoid osteomas of Ewing's sarcoma, computed tomography in the evaluation of 41 cases of Ewing sarcoma, computed tomography in the evaluation of 41 cases of Extraskeletal Ewing sarcoma with computed or computed tomography of the explorition of (at case report)) Sefund, inguity sarcoma, computed tomography in the evaluation of 41 cases of extraskeletal Eving sarcoma with computed tomography in suspected osteoid osteomas of tubular bones Computed tomography in suspected osteoid osteomas of tubular bones Computed tomography in the evaluation of 41 cases of extraskeletal Eving sarcoma, computed tomography in the evaluation of 4t cases of extraskeletal Eving sarcoma with computed tomography in suspension of the case report) Solution of 7th cases of care report) Solution of 4t cases of extraskeletal Eving sarcoma with computed tomography in suspension of the case report) Solution of 6th case report) Solution of a close report) Solution of a close report of the distal end of radius proposal proposal proposal proposal proposal proposal proposal proposal prop		Brucella suis, osteomyelitis of the left femur due to (case	200		224
maximus tendinitis) Calvaria, hyperostosis of the, in osteogenesis imperfecta (case report)		report)	208		234
Calvaria, hyperostosis of the, in osteogenesis imperfecta (case report)			100		227
Camptomelic syndrome (case report) 283 283 Camptomelic syndrome (case report) 283 Carpel bones, recurrent giant cell tumor involving (case report) 56 Carpel scaphoid, osteonecrosis of the distal pole of the following fracture – a rare complication 189 Cervical spine, unilateral spondylolysis of the 259 Child with systemic sarcoidosis, osseous sarcoidosis of left 5th digit in a (case report) 205 Children, a complication of radiotherapy to the shoulder in: Slipped proximal humeral epiphysis 205 Children, radiological study of two disseminated malignant non-Hodgkin lymphomas affecting only the bones in 213 Chronic inflammatory bowel disease, hypertrophic osteoarthropathy of 215 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 216 Computed tomography contribution and radiologic findings: Ewing tumor of rib 227 Computed tomography dynamic, scanning of benign bone lesions: Preliminary results 234 Computed tomography in suspected osteoid osteomas of tubular bones 234 Computed tomography in suspected osteoid osteomas of tubular bones 236 Extraskeletal Ewing sarcoma with 236 Extraskeletal Ewing sarcoma with 237 248 Emur, siceongruitus of the left, due to Brucella suis (case report) 205 Fibrohisticocytomas of bone, study of three radio-induced malignant 237 238			198		221
Camptomelic syndrome (case report) Carpel bones, recurrent giant cell tumor involving (case report) Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture — a rare complication Cervical spine, unilateral spondylolysis of the Sh digit in a (case report) Children, a complication of radiotherapy to the shoulder in: Slipped proximal humeral epiphysis Children, radiological study of two disseminated malignant non-Hodgkin lymphomas affecting only the bones in Chononic inflammatory bowel disease, hypertrophic osteoarthropathy of Cocygeal and sacral supernumerary ribs (pelvic ribs) (case report) Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by Computed tomography cortribution and radiologic findings: Ewing tumor of rib Computed tomography, dynamic, scanning of benign bone lesions: Preliminary results Computed tomography in suspected osteoid osteomas of tubular bones Computed tomography in the evaluation of 41 cases of Ewing's sarcoma Computed tomography of intramuscular myxoma Extraskeletal Ewing sarcoma with computed tomography of the distal pole of the, following fracture—a rare complication of the left, due to Brucella suis (case report) case report) 205 Fibrohisticocytomas of bone, study of three radio-induced malignant Fibrolipomatous lesions, melorhocotosis of the axial skeleton with associated Fibroma, chondromyxoid, of left first rib (case report) Fibrous histiocytoma, benign (case report) Fibrous distinct lumor of ossification center of the distal end of readio-induced malignant Fibrolipomatous lesions, melorhocotosis of the axial skeleton with associated Fibroma, chondromyxoid, of left first rib (case report) Fibroma tosis, aggressive Fibrous histiocytoma, benign (case report) Fracture (scation), transscaphoid, transcaphoid, transcaphoid, transcaphoid, transcaphoid, trans			1.41		Q
Carpel bones, recurrent giant cell tumor involving (case report) Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication					0
Carpel scaphoid, osteonecrosis of the distal pole of the following fracture – a rare complication			203		234
Carpel scaphoid, osteonecrosis of the distal pole of the, following fracture – a rare complication			56		
Femur, osteomyelitis of the left, due to Brucella suis (case report) 208 Child with systemic sarcoidosis, osseous sarcoidosis of left 5th digit in a (case report) 205 Children, a complication of radiotherapy to the shoulder in: Slipped proximal humeral epiphysis 123 Children, radiological study of two disseminated malignant non-Hodgkin lymphomas affecting only the bones in 83 Chondromyxoid fibroma of left first rib (case report) 33 Chondromyxoid fibroma of left first rib (case report) 35 Chronic inflammatory bowel disease, hypertrophic osteoarthropathy of 109 Coccygeal and sacral supernumerary ribs (pelvic ribs) (case report) 212 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 36 Computed tomography contribution and radiologic findings: Ewing tumor of rib 27 Computed tomography, dynamic, scanning of benign bone lesions: Preliminary results 234 Computed tomography in suspected osteoid osteomas of tubular bones 25 Computed tomography in suspected osteoid osteomas of tubular bones 26 Computed tomography in the evaluation of 41 cases of Ewing's sarcoma 82 Computed tomography of intramuscular myxoma 14 Femur, osteomyelitis of the left, due to Brucella suis (case report) 208 Fibrohisticcytomas of bone, study of three radio-induced malignant 174 Fibrolaticoytomas of bone, study of three radio-induced malignant 174 Fibrohisticoytomas of bone, study of three radio-induced malignant 174 Fibrohisticoytomas of bone, study of three radio-induced malignant 174 Fibrohisticoytomas of bone, study of three radio-induced malignant 174 Fibrohisticoytomas of bone, study of three radio-induced malignant 174 Fibrohisticoytomas of bone, study of three radio-induced malignant 174 Fibrohisticoytomas of bone, study of three radio-induced malignant 174 Fibrohisticoytomas of bone, study of three radio-induced malignant 187 Fibrohisticoytomas of bone, study of the saxial skele-ton with associated 175 Fibrohisticoytomas of bone, study of the saxial skele-ton with associated 175 Fibrohisticoytom			50		
Cervical spine, unilateral spondylolysis of the Child with systemic sarcoidosis, osseous sarcoidosis of left Sth digit in a (case report) Children, a complication of radiotherapy to the shoulder in: Slipped proximal humeral epiphysis 123 Children, radiological study of two disseminated malignant non-Hodgkin lymphomas affecting only the bones in 123 Chondromyxoid fibroma of left first rib (case report) 125 Chondromyxoid fibroma of left first rib (case report) 126 Chondromyxoid fibroma of left first rib (case report) 127 Chondromyxoid fibroma of left first rib (case report) 128 Chondromyxoid fibroma of left first rib (case report) 129 Cocygeal and sacral supernumerary ribs (pelvic ribs) (case report) 120 Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 121 Computed tomography contribution and radiologic findings: Ewing tumor of rib 122 Computed tomography correlation, extraskeletal Ewing sarcoma with 123 Computed tomography, dynamic, scanning of benign bone lesions: Preliminary results 125 Computed tomography in suspected osteoid osteomas of tubular bones 126 Computed tomography in the evaluation of 41 cases of Ewing's sarcoma 127 Eibronisticocytomas of bone, study of three radio-induced malignant 128 Fibronisticocytomas of bone, study of three radio-induced malignant 129 Fibrolipomatous lesions, melorheostosis of the axial skele- ton with associated 129 Fibronatious lesions, melorheostosis of the axial skele- ton with associated 129 Fibronatious lesions, melorheostosis of the axial skele- ton with associated 129 Fibronatious lesions, melorheostosis of the axial skele- ton with associated 129 Fibronatious lesions, melorheostosis of the axial skele- ton with associated 129 Fibronatious lesions, melorheostosis of the saxial skele- ton with associated 129 Fibronatious lesions, melorheostosis of the axial skele- ton with associated 129 Fibronatious lesions, melorheostosis of the saxial skele- ton with associated 129 Fibronatious lesions, melorheostosis of the saxial skele			189	Femur, osteomyelitis of the left, due to Brucella suis (case	
Child with systemic sarcoidosis, osseous sarcoidosis of left 5th digit in a (case report)					
Children, a complication of radiotherapy to the shoulder in: Slipped proximal humeral epiphysis					
Children, a complication of radiotherapy to the shoulder in: Slipped proximal humeral epiphysis			205		
Children, radiological study of two disseminated malignant non-Hodgkin lymphomas affecting only the bones in					
nant non-Hodgkin lymphomas affecting only the bones in		in: Slipped proximal humeral epiphysis	123	ton with associated	41
Chondromyxoid fibroma of left first rib (case report) . 53 Chronic inflammatory bowel disease, hypertrophic osteoarthropathy of		Children, radiological study of two disseminated malig-		Fibroma, chondromyxoid, of left first rib (case report)	53
Chondromyxoid fibroma of left first rib (case report)		nant non-Hodgkin lymphomas affecting only the		Fibromatosis, aggressive	179
Chronic inflammatory bowel disease, hypertrophic osteoarthropathy of		bones in	83	Fibrous histiocytoma, benign (case report)	215
teoarthropathy of		Chondromyxoid fibroma of left first rib (case report)	53	Fibula, giant cell tumor of ossification center of the distal	
Cocygeal and sacral supernumerary ribs (pelvic ribs) (case report) Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 33 Computed tomography contribution and radiologic findings: Ewing tumor of rib 227 Computed tomography correlation, extraskeletal Ewing sarcoma with 234 Computed tomography, dynamic, scanning of benign bone lesions: Preliminary results 238 Computed tomography in suspected osteoid osteomas of tubular bones 250 Computed tomography in the evaluation of 41 cases of Ewing's sarcoma 250 Computed tomography of intramuscular myxoma 251 Computed tomography of intramuscular myxoma 252 Computed tomography of intramuscular myxoma 253 Computed tomography of intramuscular myxoma 254 Computed tomography of intramuscular myxoma 255 Computed tomography of intramuscular myxoma 256 Computed tomography of intramuscular myxoma 257 Computed t		Chronic inflammatory bowel disease, hypertrophic os-			
Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by 235 Computed tomography contribution and radiologic findings: Ewing tumor of rib					
Computed tomography and ultrasound, percutaneous needle biopsy of soft tissue tumors guided by					
needle biopsy of soft tissue tumors guided by Computed tomography contribution and radiologic findings: Ewing tumor of rib Computed tomography correlation, extraskeletal Ewing sarcoma with Computed tomography, dynamic, scanning of benign bone lesions: Preliminary results Computed tomography in suspected osteoid osteomas of tubular bones Computed tomography in the evaluation of 41 cases of Ewing's sarcoma Computed tomography of intramuscular myxoma Sarcoma and a diologic findings: Eving tumor of rib 227 Ganglion, intraosseous, of the ileum (case report) Giant cell tumor of ossification center of the distal end of the fibula, growing into the metaphysis (case report) Giant cell tumor, recurrent (initially in distal end of radius) involving adjacent carpel bones (triquetrum and pisiform bones) (case report) Giant cell tumors, multiple (multicentric), of bone (case report) Giant cell tumors, recurrent (initially in distal end of radius) involving adjacent carpel bones (triquetrum and pisiform bones) (case report) Giant cell tumor, recurrent (initially in distal end of radius) involving adjacent carpel bones (triquetrum and pisiform bones) (case report) Giant cell tumor, recurrent (initially in distal end of radius) involving adjacent carpel bones (triquetrum and pisiform bones) (case report) Giant cell tumor, recurrent (initially in distal end of radius) involving adjacent carpel bones (triquetrum and pisiform bones) (case report) Giant cell tumors, multiple (multicentric), of bone (case report) Giant cell tumors, recurrent (initially in distal end of radius) involving adjacent carpel bones (triquetrum and pisiform bones) (case report) Giant cell tumors (case report) Giant cell tumor of ossification center of the distal end of the fibula, growing into the metaphysis (case report) Giant cell tumor, recurrent (initially in distal end of radius) involving adjacent carpel bones (triquetrum and pisiform bones) (case report) Giant cell tumors, multiple (multicentric), of bone (case report) Computed					
Computed tomography correlation, extraskeletal Ewing sarcoma with					
ings: Ewing tumor of rib					
Computed tomography correlation, extraskeletal Ewing sarcoma with					
sarcoma with					
Computed tomography, dynamic, scanning of benign bone lesions: Preliminary results					
bone lesions: Preliminary results					
Computed tomography in suspected osteoid osteomas of tubular bones					
tubular bones					
Computed tomography in the evaluation of 41 cases of Ewing's sarcoma					
Ewing's sarcoma		Computed tomography in the evaluation of 41 cases of			
Computed tomography of intramuscular myxoma 14 calcific tendinitis of the					
					198
		Congenital aggressive lipomatosis	248		153

Gram-negative organisms, myonecrosis of left leg (stimu-		distal end of the fibula, growing into the (case report)	218
lating gas) due to (case report)	223	Metastasis, skeletal: The effect on the immature skeleton	73
Hemangioma of tibia, intracortical (case report)	137	Metastatic medulloblastoma to the vertebral bodies of L2	
Hip, biomechanics important to interpret radiographs of		and L3 (case report)	64
the	185	Multiple (multicentric) giant cell tumors of bone (case	
Histiocytoma, benign fibrous (case report)	215	report)	276
Histiocytosis X, a comparison of radiographic and bone	450	(Myelofibrosis, acute "malignant") acute megakaryoblas-	4.5
scan findings in	170	tic leukemia: An unusual cause of osteosclerosis	45
Hodgkin (non) disseminated malignant lymphomas affect-	0.2	Myonecrosis of left leg (stimulating gas) due to gram-	222
ing only the bones in children, radiological study of	83	negative organisms (case report)	223
Humeral epiphysis, slipped proximal: A complication of	122	Myxoma, intramuscular, computed tomography of	14 37
radiotherapy to the shoulder in children	123	Necrosis, widespread marrow, during pregnancy Needle biopsy, percutaneous, of soft tissue tumors guided	31
Hypercementosis – an important clue to Paget disease of the maxilla	126	by ultrasound and computed tomography	33
Hyperostosis of the calvaria in osteogenesis imperfecta	120	Oblique angled view for coracoid fractures	195
(case report)	141	Osseous sarcoidosis of left 5th digit in a young child with	175
Hyperoxaluria, primary (oxalosis) (case report)	266	systemic sarcoidosis (case report)	205
Hyperparathyroidism, shoulder arthropathy in primary	98	Ossification center of the distal end of the fibula, growing	
Hypertrophic osteoarthropathy of chronic inflammatory		into the metaphysis, giant cell tumor of (case report)	218
bowel disease	109	Osteoarthropathy, hypertrophic, of chronic inflammatory	
Hypervascular lesions, bone involvement pattern in	103	bowel disease	109
Idiopathic segmental sclerosis of vertebral bodies	88	Osteogenesis imperfecta, hyperostosis of the calvaria in	
Ileum, intraosseous ganglion of the (case report)	61	(case report)	141
Immature skeleton, the effect on the: Skeletal metastasis	73	Osteoid osteomas, suspected, of tubular bones, computed	
Infection, Petriellidium boydii, of the knee: A case report	114	tomography of	92
Inflammatory chronic bowel disease, hypertrophic os-		Osteomas, suspected osteoid, of tubular bones, computed	
teoarthropathy of	109	tomography of	92
Inheritance, recessive, intermediate form of osteopetrosis		Osteomyelitis of femur, isolated Cryptococcus neoformans	0.10
with	47	(case report)	263
Intermediate form of osteopetrosis with recessive inheri-	47	Osteomyelitis of the left femur due to Brucella suis (case	300
tance	47	report)	208
Intracortical hemangioma of tibia (case report) Intracortical osteosarcoma: Rare entity or early manifes-	137	Osteonecrosis of the distal pole of the carpel scaphoid	190
tation of classical osteosarcoma?	255	following fracture – a rare complication Osteopetrosis, intermediate form of, with recessive inheri-	189
Intramuscular myxoma, computed tomography of	14		47
Intraosseous ganglion of the ileum (case report)	61	Osteosarcoma (high grade) of the upper end of the tibia	7/
Isolated Cryptococcus neoformans osteomyelitis of femur	O1	(case report)	129
(case report)	263	Osteosarcoma, intracortical: Rare entity or early manifes-	
Knee, Petriellidium boydii infection of the: A case report		tation of classical osteosarcoma?	255
Leg, myonecrosis of left, (stimulating gas) due to gram-		Osteosarcoma, purely lytic	1
negative organisms (case report)	223	Osteosclerosis, an unusual cause of: Acute megakaryo-	
Leiomyosarcomas, soft tissue, of the extremities, the value		blastic leukemia (acute "malignant" myelofibrosis)	45
of angiography	201	(Oxalosis) primary hyperoxaluria (case report)	266
Leukemia, acute megakaryoblastic (acute "malignant"		Paget disease of the maxilla, an important clue to - hyper-	
myelofibrosis): An unusual cause of osteosclerosis	45	cementosis	126
Lipomatosis, congenital aggressive	248	Paget disease of the tibia with soft tissue mass formation	
Localizing lesions for bone biopsy, radionuclide bone scan		(case report)	
as an aid in		"Pelvic digit" – an unusual developmental anomaly	118
Lumbar spine radiography, gonadal dose reduction		(Pelvic ribs) sacral and coccygeal supernumerary ribs (case	240
Lytic osteosarcoma, purely	1	report)	212
Macroglobulinemia, Waldenström (case report)	132	Percutaneous needle biopsy of soft tissue tumors guided	33
Malignant disseminated non-Hodgkin lymphomas affect- ing only the bones in children, radiological study of	92	by ultrasound and computed tomography Perilunate, transscaphoid, transcapitate fracture disloca-	3.
Malignant fibrohistiocytomas of bone, study of three	83	tion (scaphocapitate syndrome)	192
radio-induced	174	Petriellidium boydii infection of the knee: A case report	
("Malignant" myelofibrosis, acute) acute megakaryoblas-		Postnatal skeletal development, radiology of. VI. Elbow	11-
tic leukemia: An unusual cause of osteosclerosis	45	joint, proximal radius, and ulna	11
Marrow necrosis, widespread, during pregnancy	37	Postnatal skeletal development, radiology of. VII. The	-
Maxilla, an important clue to Paget disease of the – hyper-		scapula	15
cementosis		Pregnancy, widespread marrow necrosis during	3'
Medulloblastoma, metastatic, to the vertebral bodies of		Primary hyperoxaluria (oxalosis) (case report)	260
L2 and L3 (case report)	64	Purely lytic osteosarcoma	
Megakaryoblastic leukemia, acute (acute "malignant"		Radii, bilateral stress fractures (and/or reaction) of the	
myelofibrosis): An unusual cause of osteosclerosis	45	distal ends of the (case report)	
Melorheostosis of the axial skeleton with associated fibro-		Radiographic and bone scan findings in histiocytosis X,	
lipomatous lesions		a comparison	170
Metaphysis, giant cell tumor of ossification center of the		Radio-induced malignant fibrohistiocytomas of bone,	

study of three	174	ends of the radii (case report)	148
Radiological study of two disseminated malignant non- Hodgkin lymphomas affecting only the bones in chil-	0.7		212
dren Radiology of postnatal skeletal development. VI. Elbow	83	Tendinitis, calcific, of the gluteus maximus tendon (gluteus maximus tendinitis)	198
joint, proximal radius, and ulna	17	Tendon, gluteus maximus (gluteus maximus tendinitis), calcific tendinitis of the	198
scapula	157	Tibia, intracortical hemangioma of (case report)	137
Radionuclide bone scan as an aid in localizing lesions for bone biopsy	246	Tibia, osteosarcoma (high grade) of the upper end of the (case report)	129
Radiotherapy to the shoulder in children, a complication of: Slipped proximal humeral epiphysis	123	Tibia, Paget disease of the, with soft tissue mass formation (case report)	145
Radius, proximal, elbow joint, and ulna. Radiology of		Tomography, computed, and ultrasound, percutaneous	
postnatal skeletal development	17	needle biopsy of soft tissue tumors guided by Tomography, computed, contribution and radiologic find-	33
of (case report)	56	ings: Ewing tumor of rib Tomography, computed, correlation, extraskeletal Ewing	227
involving adjacent carpel bones (triquetrum and		sarcoma with	234
pisiform bones) (case report)	56 53	Tomography, computed, in suspected osteoid osteomas of tubular bones	92
Rib, Ewing tumor of: Radiologic findings and computed		Tomography, computed, in the evaluation of 41 cases of	
tomography contribution	227	Ewing's sarcoma	8 14
(case report)	212	Tomography, dynamic computed, scanning of benign bone lesions: Preliminary results	238
report)	212	Transscaphoid, transcapitate, perilunate fracture disloca-	
Sarcoidosis, osseous, of left 5th digit in a young child with systemic sarcoidosis (case report)	205	tion (scaphocapitate syndrome)	192
Sarcoma, Ewing's, computed tomography in the evalua-	8	tion (scaphocapitate syndrome)	192
tion of 41 cases of	0	osteoid osteomas of	92
phy correlation	234	Tumor, Ewing of rib: Radiologic findings and computed tomography contribution	227
for bone biopsy	246	Tumor, giant cell, of ossification center of the distal end	
(Scaphocapitate syndrome) transscaphoid, transcapitate, perilunate fracture dislocation	192	of the fibula, growing into the metaphysis (case report) Tumor, recurrent giant cell (initially in distal end of radi-	218
Scapula, avulsion fractures of the	27 157	us) involving adjacent carpel bones (triquetrum and pisiform bones) (case report)	56
Sclerosis, idiopathic segmental of vertebral bodies	88	Tumors of bone, multiple (multicentric) giant cell (case	
Segmental idiopathic sclerosis of vertebral bodies Shoulder arthropathy in primary hyperparathyroidism	88 98	report)	276
Shoulder in children, a complication of radiotherapy to	122	by ultrasound and computed tomography Ulna, elbow joint, proximal radius. Radiology of postna-	33
the: Slipped proximal humeral epiphysis Skeletal metastasis: The effect on the immature skeletor.	123 73	tal skeletal development	17
Slipped proximal humeral epiphysis: A complication of radiotherapy to the shoulder in children	123	Ultrasound and computed tomography, percutaneous needle biopsy of soft tissue tumors guided by	33
Soft tissues and bone, congenital venous dysplasia of the		Unilateral spondylolysis of the cervical spine	259
index finger involving (case report)	273	Venous dysplasia, congenital, of the index finger involving soft tissues and bone (case report)	273
of angiography in Spine, cervical, unilateral spondylolysis of the	201 259	Vertebral bodies, idiopathic segmental sclerosis of Vertebral bodies of L2 and L3, metastatic medulloblas-	88
Spine, lumbar radiography, gonadal dose reduction, in	153	toma to the (case report)	64
Spondylolysis, unilateral, of the cervical spine Stress fractures, bilateral, (and/or reaction) of the distal	259	Waldenström macroglobulinemia (case report) Widespread marrow necrosis during pregnancy	132
, , , , , , , , , , , , , , , , , , , ,			